



DEPARTMENT OF THE NAVY

COMMANDER
NAVY REGION HAWAII
850 TICONDEROGA ST STE 110
JBPHH, HAWAII 96860-5101

SEP 25 2014 *CH*

on
Scanned
adrec

5090
Ser N45/720
September 23, 2014

CERTIFIED NO: 7014 1200 0000 9858 5189

Mr. Richard Takaba
Hawaii State Department of Health
Environmental Management Division
Solid and Hazardous Waste Branch
Underground Storage Tank Section
919 Ala Moana Boulevard, Room 212
Honolulu, HI 96814

Dear Mr. Takaba:

SUBJECT: RED HILL TANK COMPLEX, JULY 2014 GROUNDWATER MONITORING
RESULTS FOR OUTSIDE (NON-TUNNEL) WELLS, FACILITY ID NO.
9102271, RELEASE ID NO. 99051, 010011, 020028, AND 140010

On July 23 and 24, 2014, Environmental Science International, Inc. (ESI) collected quarterly groundwater samples from wells HDMW2253-03, OWDFMW01, and RHMW04 as outlined in Commander Navy Region Hawaii letter 5090 Ser N45/4039 of February 18, 2009. All three wells are located outside the Red Hill Fuel Storage Facility tunnels.

The Navy is submitting the Third Quarter 2014 - Quarterly Groundwater Monitoring Report for Outside Tunnel Wells as Enclosures 1 and 2.

The groundwater samples were analyzed for petroleum constituents. Laboratory analytical results indicate all chemical of potential concern (COPC) concentrations were below the DOH Drinking Water Toxicity EALs and the DOH Groundwater Gross Contamination EALs.

Continued quarterly sampling is recommended for the three groundwater monitoring wells. The next sampling event is tentatively scheduled for October 2014.

If there are any questions regarding this matter, or if more information is needed, please contact Ms. Raelynn Kishaba at (808) 471-1171, extension 233.

Sincerely,

AARON Y. POENTIS

Director

Regional Environmental Department

By direction of the

Commander

5090
Ser N45/720
September 23, 2014

Enclosures: 1. Third Quarter 2014 - Quarterly Groundwater Monitoring Report, Outside Tunnel Wells, Red Hill Bulk Fuel Storage Facility, Joint Base Pearl Harbor-Hickam, Oahu, Hawaii of September 2014 (1 hard copy)
2. Second Quarter 2014 - Quarterly Groundwater Monitoring Report, Outside Tunnel Wells, Red Hill Bulk Fuel Storage Facility, Joint Base Pearl Harbor Hickam, Oahu, Hawaii of September 2014 (1 CD)

Copy to: Ms. Joanna Seto, DOH Safe Drinking Water Branch (1 CD)
LCDR Andrew Lovgren, NAVSUP Fleet Logistics Center Pearl Harbor (1 hard copy, 1 CD)
Mr. Walter Riddlehoover, DLA Pacific (1 hard copy, 1 CD)
Ms. Arleen Mizuno, NAVFAC HI OPHE1 (1 CD)